

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	7575	(determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near4 (reflectivit\$3)	USPAT; US-PGPUB; EPO; JFO; DERWENT; IBM_TDB	2003/10/2 8 08:04
2	BRS	L2	200817	(determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near6 (disc or disk or medium)	USPAT; US-PGPUB; EPO; JFO; DERWENT; IBM_TDB	2003/10/2 8 08:04
3	BRS	L3	23627	((laser or light or beam) near5 (chang\$5 or alter\$5 or modif\$6)) near5 (characteristic or behavior or material or shape)	USPAT; US-PGPUB; EPO; JFO; DERWENT; IBM_TDB	2003/10/2 8 08:09
4	BRS	L4	122	1 and 2 and 3 and @ad<=19990320	USPAT; US-PGPUB; EPO; JFO; DERWENT; IBM_TDB	2003/10/2 8 08:10
5	BRS	L6	90259	(first near2 (laser or light or led or beam)) and (second near2 (laser or light or led or beam))	USPAT; US-PGPUB; EPO; JFO; DERWENT; IBM_TDB	2003/10/2 8 08:11
6	BRS	L7	54	4 and 6	USPAT; US-PGPUB; EPO; JFO; DERWENT; IBM_TDB	2003/10/2 8 08:16

Type	Hits	Search Text	DBs
1 BRS	101088	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near8 (disc or disk) and ((first near3 (laser or light or beam)) and (second near3 (laser or light or beam)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2 BRS	116822	((laser or light or beam) near5 (chang\$5 or alter\$5 or modif\$6 or correct\$5)) with (reflect\$5 near6 surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3 BRS	7440	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near8 (disc or disk) and ((first near3 (laser or light or beam)) and (second near3 (laser or light or beam))) and ((laser or light or beam) near5 (chang\$5 or alter\$5 or modif\$6 or correct\$5)) with (reflect\$5 near6 surface)) and (@ad<=19990320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4 BRS	290	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near8 (disc or disk) and ((first near3 (laser or light or beam)) and (second near3 (laser or light or beam))) and ((laser or light or beam) near5 (chang\$5 or alter\$5 or modif\$6 or correct\$5)) with (reflect\$5 near6 surface)) and (@ad<=19990320)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5 BRS	178581	optic\$3 near3 (storage or disc or disk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6 BRS	234	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near8 (disc or disk) and ((first near3 (laser or light or beam)) and (second near3 (laser or light or beam))) and ((laser or light or beam) near5 (chang\$5 or alter\$5 or modif\$6 or correct\$5)) with (reflect\$5 near6 surface)) and (@ad<=19990320) and (optic\$3 near3 (storage or disc or disk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7 BRS	46065	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near9 (surface near7 reflect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8 BRS	183	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near8 (disc or disk) and ((first near3 (laser or light or beam)) and (second near3 (laser or light or beam))) and ((laser or light or beam) near5 (chang\$5 or alter\$5 or modif\$6 or correct\$5)) with (reflect\$5 near6 surface)) and (@ad<=19990320) and ((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near9 (surface near7 reflect\$6) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Type	Hits	Search Text	DBs
9 BRS	1591	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near6 (surface near4 reflectivity)) (((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near8 (disc or disk) ) and ((first near3 (laser or light or beam)) and (second near3 (laser or light or beam))) and (((laser or light or beam) near5 (chang\$5 or alter\$5 or modif\$6 or correct\$5)) with (reflect\$5 near6 surface)) and (@ad<=19990320) and ((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near7 reflect\$6) )) and ((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near6 (surface near4 reflectivity) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10 BRS	16	((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near8 (disc or disk) ) and ((first near3 (laser or light or beam)) and (second near3 (laser or light or beam))) and (((laser or light or beam) near5 (chang\$5 or alter\$5 or modif\$6 or correct\$5)) with (reflect\$5 near6 surface)) and (@ad<=19990320) and ((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near7 reflect\$6) )) and ((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near6 (surface near4 reflectivity) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11 BRS	5529	((laser or light or beam) near9 ((chang\$5 or alter\$5 or modif\$6) near7 ((reflect\$5 or characteristic\$2 or behavior) near4 surface)) and ((first near3 (laser or light or beam)) and (second near3 (laser or light or beam))) and (((laser or light or beam) near9 ((chang\$5 or alter\$5 or modif\$6) near7 ((reflect\$5 or characteristic\$2 or behavior) near4 surface))) and ((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near6 (surface near4 reflectivity) ) and @ad<=19990320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12 BRS	41	((laser or light or beam) near9 ((chang\$5 or alter\$5 or modif\$6) near7 ((reflect\$5 or characteristic\$2 or behavior) near4 surface))) and ((determin\$5 or detect\$5 or measur\$5 or inspect\$5 or examin\$5) near6 (surface near4 reflectivity) ) and @ad<=19990320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	13573	(light or laser or led) with ((perturb\$5 or disturb\$5 or modif\$7 or chang\$5 or alter\$5) near5 (die or area or region))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	5505	((determin\$5 or detect\$5 or analyz\$5 or inspect\$5 or examin\$5) near5 (reflectivit\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	163	1 and 2 and @ad<=19990320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	803	((determin\$5 or detect\$5 or analyz\$5 or inspect\$5 or examin\$5) near5 (reflectivit\$3 near3 surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	21	1 and 4 and @ad<=19990320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	59	(((((light or laser or led) near3 (source or beam or diode)) with ((perturb\$5 or disturb\$5 or modif\$7 or chang\$5 or alter\$5) near5 (die or area or region))) and (((determin\$5 or detect\$5 or analyz\$5 or inspect\$5) near5 semiconductor ) and @ad<=20000419) not (semiconductor adj laser))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	58	6 not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	10596	((light or laser or led) near5 ((perturb\$5 or disturb\$5 or modif\$7 or chang\$5 or alter\$5) near6 (die or area or region)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	6215	1 and 8 and @ad<=19990320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	112	8 and 2 and @ad<=19990320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB